

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name FINISH
Registration number (REACH) not relevant (mixture)
Unique formula identifier (UFI) UFI: ERJC-X5KM-M001-1RKO
as indicated on the label

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Coating
Observe technical data sheet
Uses advised against Observe technical data sheet

1.3 Details of the supplier of the safety data sheet

Baumit GmbH
Wopfing 156
A-2754 Waldegg
Austria

Telephone: +43 (0)501 888 0

This number is only available during office hours: Mon - Thu 07:00 AM - 05:00 PM
Fri 07:00 AM - 12:00 PM

e-mail: office@baumit.com

e-mail (competent person) office@baumit.com

1.4 Emergency telephone number

| Poison centre | | | |
|---------------|---|----------------------|---------------------|
| Country | Name | Postal code/ city | Telephone |
| Austria | Vergiftungsinformationszentrale an der 1. Medizinischen Universitätsklinik 24h Notruf Mo-So | 1090 Wien | +43 (0)1 4064 343-0 |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|--------------------|-----------|---------------------------|------------------|
| 3.4S | skin sensitisation | 1 | Skin Sens. 1 | H317 |

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H317 May cause an allergic skin reaction.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P260 Do not breathe spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container in accordance with local/regional/national/inter-national regulations.

- Supplemental hazard information

EUH210 Safety data sheet available on request.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

- Biocidal Products Regulation (BPR)

Contains:

| Biocidal active substances |
|---|
| Name of substance |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one |
| 1,2-benzisothiazol-3(2H)-one |

2.2.1.7- Hazardous ingredients for labelling

Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

Description of the mixture:

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|------------------------------|---|------------------|---|------------|
| quartz powder | CAS No 68855-54-9 EC No 310-127-6 272-489-0 REACH Reg. No 01-2119488518- 22-xxxx | 2.5 – < 5 | STOT RE 2 / H373 | |
| 1,2-benzisothiazol-3(2H)-one | CAS No 2634-33-5 EC No 220-120-9 Index No 613-088-00-6 REACH Reg. No 01-2120761540- 60-xxxx | 0.0015 – < 0.025 | Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411 | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|---|--|------------------|--|------------|
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | CAS No 55965-84-9 Index No 613-167-00-5 REACH Reg. No 01-2120764691-48-xxxx | 0.0015 – < 0.025 | Acute Tox. 3 / H301 Acute Tox. 2 / H310 Acute Tox. 2 / H330 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Skin Sens. 1A / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410 | |

| Name of substance | Specific Conc. Limits | M-Factors | ATE | Exposure route |
|---|---|--|--|---|
| 1,2-benzisothiazol-3(2H)-one | Skin Sens. 1; H317: C ≥ 0.05 % | - | 670 mg/kg | oral |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 % | M-factor (acute) = 100 M-factor (chronic) = 100 | 100 mg/kg 50 mg/kg 0.5 mg/l/ 4h 0.05 mg/l/ 4h | oral dermal inhalation: vapour inhalation: dust/ mist |

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

4.3 Indication of any immediate medical attention and special treatment needed

None.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes, Co-ordinate firefighting measures to the fire surroundings, Do not allow firefighting water to enter drains or water courses, Collect contaminated firefighting water separately, Fight fire with normal precautions from a reasonable distance

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: Sawdust, Kieselgur (diatomite), Sand, Universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

- Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Control of effects

Protect against external exposure, such as

frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Occupational exposure limit values (Workplace Exposure Limits) | | | | | | | | | | | |
|--|--|------------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|--------|
| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
| AT | reaction mass of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | 55965-84-9 | MAK | | 0.05 | | | | | | GKV |
| AT | Silica, amorphous - silica fume, calcined diatomaceous earth | 68855-54-9 | MAK | | 0.3 | | | | | r | GKV |

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur
r respirable fraction
STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours
time-weighted average (unless otherwise specified)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

| Relevant DNELs of components | | | | | | |
|---|------------|-----------|------------------------|------------------------------------|-------------------|----------------------------|
| Name of substance | CAS No | End-point | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
| quartz powder | 68855-54-9 | DNEL | 0.05 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | DNEL | 6.81 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | DNEL | 0.966 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | DNEL | 0.02 mg/m ³ | human, inhalatory | worker (industry) | chronic - local effects |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | DNEL | 0.04 mg/m ³ | human, inhalatory | worker (industry) | acute - local effects |

| Relevant PNECs of components | | | | | | |
|------------------------------|------------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| quartz powder | 68855-54-9 | PNEC | 100 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | PNEC | 4.03 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | PNEC | 0.403 µg/l | aquatic organisms | marine water | short-term (single instance) |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | PNEC | 1.03 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | PNEC | 49.9 µg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | PNEC | 4.99 µg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | PNEC | 3 mg/kg | terrestrial organisms | soil | short-term (single instance) |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

| Relevant PNECs of components | | | | | | |
|---|------------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | PNEC | 3.39 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | PNEC | 3.39 µg/l | aquatic organisms | marine water | short-term (single instance) |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | PNEC | 0.23 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | PNEC | 0.027 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | PNEC | 0.027 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | PNEC | 0.01 mg/kg | terrestrial organisms | soil | short-term (single instance) |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Eye/face protection



Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|---|-----------------|
| Physical state | liquid |
| Colour | colourless |
| Odour | characteristic |
| Melting point/freezing point | 0 °C |
| Boiling point or initial boiling point and boiling range | 100 °C |
| Flammability | non-combustible |
| Lower and upper explosion limit | not determined |
| Flash point | not determined |
| Auto-ignition temperature | not determined |
| Decomposition temperature | not relevant |
| pH (value) | 8 – 9 |
| Kinematic viscosity | not determined |
| Solubility(ies) | not determined |

Partition coefficient

| | |
|--|-----------------------------------|
| Partition coefficient n-octanol/water (log value) | this information is not available |
|--|-----------------------------------|

| | |
|------------------------|-----------------|
| Vapour pressure | 32 hPa at 25 °C |
|------------------------|-----------------|

Density and/or relative density

| | |
|--------------------------------|---|
| Density | not determined |
| Relative vapour density | information on this property is not available |

| | |
|---------------------------------|-----------------------|
| Particle characteristics | not relevant (liquid) |
|---------------------------------|-----------------------|

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

9.2 Other information

| | |
|---|--|
| Information with regard to physical hazard classes | hazard classes acc. to GHS (physical hazards): not relevant |
| Other safety characteristics | there is no additional information |

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity estimate (ATE) of components | | | |
|---|---------------|-----------------------|------------|
| Name of substance | CAS No | Exposure route | ATE |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5 | oral | 670 mg/kg |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | oral | 100 mg/kg |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | dermal | 50 mg/kg |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

| Acute toxicity estimate (ATE) of components | | | |
|---|------------|-----------------------|--------------|
| Name of substance | CAS No | Exposure route | ATE |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | inhalation: vapour | 0.5 mg/l/4h |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | 55965-84-9 | inhalation: dust/mist | 0.05 mg/l/4h |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste codes/waste designations according to LoW

15 01 02: Plastic packaging

08 01 12: Waste paint and varnish other than those mentioned in 08 01 11

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

| | |
|---------------------------------|---|
| 14.1 UN number or ID number | not subject to transport regulations |
| 14.2 UN proper shipping name | not relevant |
| 14.3 Transport hazard class(es) | none |
| 14.4 Packing group | not assigned |
| 14.5 Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | | | | |
|--|--|--------|-------|-------------------------|---|-------------|----|
| Name of substance | Name acc. to inventory | CAS No | EC No | Type of registration | Remarks | Restriction | No |
| FINISH | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC | | | 1907/2006/EC annex XVII | Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; | R3 | 3 |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

Dangerous substances with restrictions (REACH, Annex XVII)

| Name of substance | Name acc. to inventory | CAS No | EC No | Type of registration | Remarks | Restriction | No |
|---|------------------------|------------|-----------|----------------------|---|-------------|----|
| | | | | | (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1. | | |
| 1,2-benzisothiazol-3(2H)-one | | 2634-33-5 | 220-120-9 | | | | |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | | 55965-84-9 | | | | | |

Legend

- R3
- Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 - Articles not complying with paragraph 1 shall not be placed on the market.
 - Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and
 - present an aspiration hazard and are labelled with H304.
 - Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
 - Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
 - grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
 - lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | |
|---|--------|-----------|---------|
| Name of substance | CAS No | Listed in | Remarks |
| Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one | | a) | |

Legend

a) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

Not relevant.

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations (Austria)

Ordinance on combustible liquids (VbF) not assigned (flash point higher than 100 °C)

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|---|
| Acute Tox. | Acute toxicity |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| Aquatic Acute | Hazardous to the aquatic environment - acute hazard |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard |
| ATE | Acute Toxicity Estimate |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

| Abbr. | Descriptions of used abbreviations |
|-------------|--|
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| ED | Endocrine disruptor |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| GKV | Grenzwerteverordnung |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| LoW | List of Wastes |
| M-factor | Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



FINISH

Version number: GHS 6.0
Replaces version of: 02/16/2022 (GHS 5)

Revision
11/29/2023

| Abbr. | Descriptions of used abbreviations |
|------------|--|
| Skin Sens. | Skin sensitisation |
| STEL | Short-term exposure limit |
| STOT RE | Specific target organ toxicity - repeated exposure |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| vPvB | Very Persistent and very Bioaccumulative |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--|
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.