





Baunit KlimaDekor

Safety Data Sheet



As per Directive (EU) no.1907/2006 as well as (EU) no. 453/2010

Revised on: 09/02/2016

1.1	Product Identifier
1.0	Identification of the material or the mixture and the company
	Commercial name: Baunit KlimaDekor
1.2	Relevant identified applications of the material or mixture and applications which are not recommended
	Use of the material/mixture: Ready to use interior plaster, lime-based
1.3	Details on the supplier which provides the safety data sheet
	Manufacturer: Wopfinger Baustoffindustrie GmbH A-2754 Waldegg / Wopfing 156 Tel: + 43/2633/400-0 Fax: + 43 2633 400 -266 Email: office@wopfinger.baunit.com Office issuing information: International Product Management + 43/2633/400-0 Office hours: Mon. to Thurs, 7:00 to 16:00 and Fri., 7:00 to 13:00
1.4	Emergency telephone number:
	Poison Information Centre at the First University Hospital, Währinger Gürtel 18-20, 1090 Vienna: + 43/1/406 43 43


2.0	Possible hazards
2.1	Classification of the material/mixture:
2.1.1	As per (EU) Directive no. 1272/2008 The product is not classified as per the CLP regulation.
	Hazard instructions:
	 GHS 05 H 315 Causes skin irritation. H 318 Causes severe eye damage.
2.1.2	As per 1999/45/EU Directive
	Classification: The material/preparation is classified as non-hazardous in the sense of the 67/548/EEC or 1999/45/EU Directives.  Xi, irritating R 36/38 Irritates the skin and eyes.

2.2 Identification elements

2.2.1 As per (EU) Directive no. 1272/2008	
Hazard pictogram:	
Signal word:	Hazard
Hazardous identifying components on the label:	Calcium hydroxide
Hazard instructions:	
H 315	Causes skin irritation.
H 318	Causes severe eye damage.
Safety Instructions:	
P 102	May not be within the reach of children.
P 101	If a physician's advice is sought, bring the packaging or label
P 280	Wear gloves/goggles.
P 305 + P 351 + P 338	For eye contact: Rinse carefully with water for a few minutes. Remove existing contact lenses if possible. Rinse further.
P 315	Consult with a physician.
P 302 + P 352	IF IN CONTACT WITH THE SKIN: Wash with lots of water and soap
P 332 + P 313	If the skin is irritated: Consult with a physician.
P 362 +P 364	Pull off contaminated clothing and wash before wearing again.
P 501	Dispose of the contents/the container in accordance with local/regional/national/international regulations.
2.2.2 As per 1999/45/EU Directive	
Hazard symbol:	 Xi, irritating
Hazard instructions:	
R 36/38	Irritates the skin and eyes.
Safety instructions:	
S 2	May not be within the reach of children.
S 26	If it touches the eyes, immediately and thoroughly rinse with water and consult a physician.
S 36/37/39	Wear suitable protective clothing, gloves and goggles/face protection when working.
S 46	If swallowed, seek medical advice immediately, and show packaging or label.
Extended instructions:	

3.0 Compound/Information about components	
Composition:	Mixture of water, dispersion binding material and additives
Hazardous contents:	
CAS: 1305-62-0 EINECS: 215-137-3	Calcium hydroxide Xi irritating R37/38; R41 Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 3, H335
	< 9.0 %
The complete text of the H and R sentences can be found in Section 16.	

4.0 First aid measures

4.1	Description of first aid measures	
	General instructions:	Help quickly. No special personal protective equipment is needed for first aid assistants.
	Inhaling:	Provide fresh air. Consult a doctor if there are symptoms.
	Skin contact:	Wash with water if it comes into contact with the skin. Remove contaminated clothing. Consult a doctor if there are symptoms.
	Eye contact:	If it has touched the eyes, thoroughly rinse the eyes with a lot of water (or saline solution for eyes, eye wash) for about 10 minutes. Do not rub the eyes dry, because additional corneal damage is possible if there is mechanical impact. Always consult an ophthalmologist.
	Swallowing:	If conscious, rinse out the mouth and drink a lot of water in small sips. Do not induce vomiting. Consult a doctor immediately.
	Instructions for the doctor:	No known long-term effects.
4.2	Most important acute or delayed symptoms and effects	
	Eyes:	Eye contact can cause severe and possibly permanent damage.
	Skin:	The product can have an irritating effect on moist skin with constant contact (as a consequence of perspiring or relative humidity). Contact between the product and moist skin can cause skin irritation.
	Breathing:	Health damage can result by inhaling the aerosol.
	Environment:	The product is not hazardous to the environment with normal use.
4.3	Advice for immediately doctor assistance or special treatment.	
		If a doctor is visited, please bring the safety data sheet.
	Instructions for the doctor:	No known long-term effects.





5.0	Firefighting measures	
5.1	Suitable extinguishing media:	The preparation is not flammable either as delivered or when mixed. Extinguishing material and firefighting must be adapted to the environment of the fire. (Water fog, foam, carbon dioxide)
5.2	Special hazards from the mixture:	Unknown.
5.3	Instructions for firefighting:	No special measures necessary, as the product presents no fire-related hazards.

6.0	Measures for unintended release	
6.1	Personal precautionary measures:	
6.1.1	Staff not trained for emergencies:	Wear protective clothing as described in Section 8. Follow the instructions for safe handling as described in Section 7. Danger of slipping on spilled product.
6.1.2	Deployment Forces:	Emergency plans are not required.
6.2	Environmental protection measures:	Do not drain into the sewers, surface water or groundwater. Dilute with lots of water.

6.3	Cleaning procedures:	Take up with liquid-binding material, such as sand or sawdust, then dispose in accordance with regulations (as per point 13).
6.4	Reference to other sections:	Check Sections 7, 8 and 13 for further details.

7.0 Handling and storage		
7.1	Protective measures for safe handling:	Follow the recommendations in Section 8. Do not eat, drink or smoke when working. Wear protective goggles and gloves.
7.2	Conditions for safe storage in regards to incompatibility:	May not be within the reach of children. Protect from direct sunlight and frost. Always keep the packages closed. Use no light metal vessels.

8.0 Limitation and monitoring exposure / personal protective equipment

8.1	Parameters to monitor:	
	Limit values	--
	A = respirable dust fraction E = inhalable dust fraction	TMW = daily average Mow = instantaneous value
		KZW = short-term exposure a) frequency per shift
8.2 Limitation and monitoring exposure:		
8.2.1	Additional instructions to structure technical equipment:	Ensure good room ventilation when using indoors.
8.2.2	General protective and hygiene measures:	Do not eat, drink or smoke when working. Wash and shower, if necessary, before breaks and at the end of work in order to remove sticking mixtures. Avoid contact with the eyes and skin. Workers should wash themselves or shower and use skin care materials after working with the mixture. Contaminated clothing, shoes, etc. should be cleaned before reuse.
	Skin Protection:	Wear waterproof, wear- and alkali-resistant gloves. For example, nitrile-dunked cotton gloves with CE Mark are suitable (see the professional association rule BGR 195 for the Federal Republic of Germany). Note the maximum wearing time. Leather gloves are not appropriate due to their water permeability. Wear long-armed protective clothing (normal work clothing) as well as skin protective material.
	 	
	Face / eye protection:	Wear protective goggles as per EN 166 if there is a spray hazard. (Provide eye washers)
		
	Respiratory protection:	Only if there is aerosol or fog formation.
		
8.2.3	Limitation and monitoring environmental exposure:	
	Air:	
	Water:	Do not drain into groundwater or the sewer system. An increase in pH is possible due to exposure Ecological-toxicological effects can occur with a pH greater than 9.
	Soil:	No special monitoring measures necessary.

9.0 Physical and chemical properties

9.1	General Information:	
a)	Appearance:	Pasty

	Aggregate status:	Liquid
	Colour:	White
b)	Odour:	Characteristic
c)	Odour threshold:	Not determined
d)	pH level:	11.5 – 13.0
e)	Melting point:	Not applicable
f)	Boiling point, boiling range:	100°C
g)	Flashpoint:	Not applicable
	Explosion hazard:	none
h)	Vapour speed:	Not determined
i)	Flammability:	Not applicable as the mixture is non-flammable
j)	Upper/lower flammability or explosion limits:	Not applicable
k)	Vapour pressure:	Not determined
l)	Vapour density:	Not determined
m)	Relative density:	approx. 1700 kg/m ³ at room temperature
n)	Solubility in water:	Completely miscible
o)	Distribution coefficient n-octanol/water:	Not applicable
p)	Self-ignition temperature:	Not applicable, as it is pasty
q)	Decomposition temperature	Not applicable
r)	Viscosity	Not determined
s)	Explosive properties:	Non-explosive
t)	Oxidising properties	Non-oxidising
9.2	Other information:	None

10.0	Stability and reactivity	
10.1	Reactivity:	Reacts in an alkaline manner.
10.2	Chemical stability:	Stable under normal environmental conditions.
10.3	Possible hazardous reactions:	Reacts exothermically with acids; the product is alkaline in its original state, and therefore reacts with base metals. Hydrogen is produced in a reaction.
10.4	Conditions to avoid:	Frost, direct sunlight, do not drain into groundwater or surface waters.
10.5	Incompatible materials:	Strong acids, aluminium, copper, brass.
10.6	Hazardous decomposition products:	Unknown.
	All information assumes use as intended	

11.0	Toxicological information	
	Toxicity:	The product has not been tested. The statement is determined from the properties of the individual components.

Hazard class	Cat	Effects	Reference
Acute toxicity - dermal	--	At present there are no toxicological assessments of the product. All information and recommendations are made on the basis of the assessment procedure.	
Acute toxicity - inhaled	--		
Acute toxicity - oral	--		
Irritation to the skin	2	Can cause skin irritation.	
Severe eye damage/irritation	1	Can cause severe eye damage.	
Skin sensitisation		No data available	
Sensitisation of the respiratory tract	--	No data available	
Nuclear mutagenicity	--	No data available	
Carcinogenicity	--	No data available	
Reproduction toxicity	--	No data available	
Specific target organ toxicity with single exposure	--	No data available	
Specific target organ toxicity with repeated exposure	--	No data available	
Aspiration hazard	--	No data available	
Effects on health due to exposure			
The product is not subject to description due to the calculation procedure carried out as per the general guidelines to classify compounds in the EU in the current version. When used and handled in accordance with specifications, the product has no health-damaging effects in our experience and with the available information.			

12.0 Environmental information

12.1	Toxicity:	The product has not been tested. The statement is determined from the properties of the individual components.
12.2	Aquatic toxicity:	No data available.
12.3	Persistence and degradability:	Organic components of the product are biologically degradable.
12.4	Bioaccumulation potential:	No data available.
12.5.	Soil mobility:	No data available.
12.6	Results of the PBT and vPvP assessment:	According to the available information, the criteria for classifying as PBT or vPvB have not been met.
12.7	Other hazardous effects:	No data available. Water hazard class 1 (self-classification): slightly hazardous to water

13. Instructions on disposal

Baumit Ltd

Unit 2, Westmead, New Hythe Lane, Aylesford, Kent, ME20 6XJ

sales@baumit.co.uk www.baumit.com



Procedure for waste treatment disposal:	Disposal as per local and official regulations. Dispose of unused remnants as special waste (do not discard with house rubbish). Dried product remains can be disposed in the house or remaining rubbish. Put cleaned packaging into plastic recycling (yellow bag). Recommended cleaning material: Water Do not drain the remains into the sewers. Do not empty into the sink or toilet.
ÖNORM S2100:	55910 (waste based on plastic dispersions)
European Waste Index (EAV):	08 01 080112 (pigment and paint waste with exception of that which falls under 080111)

14.0 Transport instructions

The mixture is subject to none of the international hazardous goods regulations (ADR, RID, ADN, IMDG- Code, ICAO-TI, IATA-DGR).

Thus no hazardous material classification is required.

14.1	UN number:	Not applicable
14.2	Proper UN shipping name:	Not applicable
14.3	Transport hazard class:	Not applicable
14.4	Packaging group:	Not applicable
14.5	Environmental hazards:	Not applicable
14.6	Special precautionary measures for the user:	Not applicable
14.7	Bulk goods transport as per Appendix II of MARPOL Treaty 73/78 and as per the IBC code:	Not applicable

15.0 Information on legislation

15.1	Regulations for safety, health and environmental protection/specific legislation for the mixture
	Preparations Directive (1999/45/EU) as amended by Directive 2013/21/EU. Materials Directive (67/548/EU) as amended by Directive 2013/21/EU. REACH Directive (EU) no. 1907/2006, as amended by Directive (EU) no. 348/2013. CLP Directive (EU) no. 1272/2008, as amended by Directive (EU) no. 487/2013.
15.2	Material safety assessment:
	No material safety assessment was performed.

16.0 Other information

16.1	Changes over the previous version
	New version as per (EU) Directive no. 1272/2008 (CLP)

16.2	Abbreviations and acronyms	
	H 315	Causes skin irritation.
	H 318	Causes severe eye damage.
	R 36 / 38	Irritates the skin and eyes.
	ACGIH	American Conference of Industrial Hygienists
	ADR/RID	European Agreements on the transport of Dangerous goods by Road/Railway
	APF	Assigned protection factor
	AcuteTox	Acute toxicity - aquatic
	Acute Aquatic	Aquatic toxicity
	Chronic Tox.	Chronic aquatic toxicity
	Asp.	Aspiration hazard
	Eye Irrit.	Eye irritation
	Skin Corr	Irritates the skin
	Skin Irrit	Irritates the skin
	CAS	Chemical Abstracts Service
	CLP	Classification, labelling and packaging (Directive (EU) no. 1272/2008)
	EC50	Half maximal effective concentration
	ECHA	European Chemicals Agency
	EINECS	European Inventory of Existing Commercial Chemical Substances
	EPA	Type of high efficiency air filter
	HEPA	Type of high efficiency air filter
	IATA	International Air Transport Association
	IMDG	International agreement on the Maritime transport of Dangerous Goods
	IUPAC	International Union of Pure and Applied Chemistry
	LC50	Median lethal dose
	MEASE	Metals estimation and assessment of substance exposure
	PBT	Persistent, bio-accumulative and toxic
	PROC	Process category
	REACH	Registration, Evaluation and Authorisation of Chemicals (Directive (EU) 1907/2006)
	SDB	Safety Data Sheet
	STOT	Specific target organ toxicity
	TRGS	Technische Regeln für Gefahrstoffe [Technical Rules for Hazardous Materials]
	UVCB	Technical Rules for Hazardous Materials
	VCI	Verband der chemischen Industrie e.V. [German Chemical Association]
	vPvB	Very persistent, very bioaccumulative
	VvVwS	Verwaltungsvorschrift wassergefährdende Stoffe [Administrative Guidelines for Material Hazards to Water]

16.3 Literature information and data sources

16.4 Training recommendations

In addition to training programs for employees on the topics of health, safety and the environment, companies must ensure that their employees read the safety data sheet, understand and can implement the requirements.

16.5 Exclusion clause

The information in this safety data sheet describes the safety requirements for our product, and relies on the current status of our knowledge. It provides no assurance of product characteristics. The users of our products are responsible on their own to observe existing laws, regulations and rules, even those not named in this data sheet.

Our recommendations for applications which we give to support the purchasers/handlers from our experience, corresponds to current science and practice. The advice is non-binding, and forms no contractual, legal relationship and no additional obligations in the purchase contract. The advice does not release the purchaser from examining our products for their suitability for their foreseen uses. The general rules of construction equipment must be adhered to. We reserve the right to make changes which serve to provide technical progress and improve the product or its use. When such technical information appears, earlier information is no longer valid.

You can find the most current information on our Internet pages. Only our current sales and supply conditions as well as provisions for the placement and use of our silos and mixing facilities apply for all business cases.

Baunit Ltd

Unit 2, Westmead, New Hythe Lane, Aylesford, Kent, ME20 6XJ

sales@baunit.co.uk www.baunit.com



baunit.com