

created on: 05.04.2018

Revision of the edition dated: 08.02.2018

Printed: 02.07.2018

SECTION 1: Identification of the mixture and company

1.1 Product identifier

Baumit KlimaColor

1.2 Relevant identified applications of the mixture and applications advised against

Ready-to-apply, mineral interior paint (see also product data sheet).
Not to be mixed with other products.

1.3 Details on the supplier that provides the safety data sheet

Name: Baumit GmbH
Address: 2754 Waldegg, Wopfing 156
Tel. no.: +43 (0) 501 888-0
Fax no.: +43 (0) 501 888 1266
Further information obtainable from: e-mail (expert): office@baumit.com
Office hours: Mon to Thu 7:00 am to 4:00 pm and Fri 7:00 am to 12:00 pm

1.4 Emergency telephone number

European emergency telephone number: 112
Emergency telephone number: +43 (0)1 4064 343-0,
Poison information centre at the 1st Medical University Clinic
Währinger Gürtel 18-20, 1090 Vienna
Availability: daily 24hr

SECTION 2: Potential hazards

2.1 Classification of the mixture

2.1.1 According to Regulation (EC) no. 1272/2008

Hazard class	Hazard category
not applicable	

Hazard warnings

EUH208: Contains 2-Methyl-2H-isothiazolin-3-one, 1,2-Benzisothiazol-3(2H)-one.
Can trigger allergic reactions.

2.2 Label elements

2.2.1 According to Regulation (EC) no. 1272/2008

Signal word:

Safety data sheet

according to Regulations (EC) 1907/2006 (REACH), 1272/2008 and (EU) 830/2015

Baumit KlimaColor



created on: 05.04.2018

Revision of the edition dated: 08.02.2018

Printed: 02.07.2018

Hazard-determining components of labelling:

Hazard warnings

EUH208: Contains 2-Methyl-2H-isothiazolin-3-one, 1,2-Benzisothiazol-3(2H)-one.
Can trigger allergic reactions.

Safety instructions

P101: If medical advice is required, please keep the packaging and label handy.
P102: Keep out of reach of children.
P501: Content/container should be disposed of in accordance with national regulations.

Biocidal Products Regulation (528/2012)

2.3 . Other hazards

The product is alkaline due to the potassium silicate contained therein. The classification is based on toxicological examinations of the European Centre for Silicate Research (www.cees-silicates.org).

Results of the PBT and vPvB assessment: not applicable

SECTION 3: Composition/information on components

3.1 Substances

Not applicable since it is a mixture.

3.2 Mixtures

Hazardous components

not applicable

SECTION 4: First-aid measures

4.1 Description of the first-aid measures

General information

Help quickly. No special personal protective equipment is required for first responders.

Inhalation

In case of contact with the skin, wash with water and soap. Remove soaked clothing, shoes, watches, etc. Clean these thoroughly before reuse. Consult a doctor in case of skin complaints.

Eye contact

Do not rub the eye dry because mechanical strain may cause additional damage to the cornea. If applicable, remove contact lenses and rinse the eyes immediately with open eyelids



Safety data sheet

according to Regulations (EC) 1907/2006 (REACH), 1272/2008 and (EU) 830/2015

Baumit KlimaColor

created on: 05.04.2018

Revision of the edition dated: 08.02.2018

Printed: 02.07.2018

under running water for at least 20 minutes to remove all particles. If possible, use an isotonic eye-rinsing solution (0.9% NaCl). Always consult an occupational health professional or ophthalmologist.

Swallowing

Do not induce vomiting. If conscious, rinse mouth and drink plenty of water in small sips. Consult a doctor or POISON INFORMATION CENTRE.

Information for the doctor

No long-term effect is known.

4.2 Most important acute or delayed symptoms and effects

Eyes

Eye contact can cause severe and possibly permanent eye damage.

Skin

Product can have an irritating effect on moist skin (as a result of sweating or air humidity) due to prolonged contact. Contact between the product and moist skin can cause skin irritations or allergic reactions. For further information, see (1).

Respiration

Inhalation of aerosol mist can result in injury to health during mechanical handling.

Environment

The product, when used normally, is not hazardous for the environment.

4.3 Information on immediate medical attention or special treatment

If a doctor is consulted, please present this safety data sheet.

Information for the doctor

Symptomatic treatment.
No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing agents

The product is not flammable as delivered. Fire extinguishing agents and firefighting measures are to be coordinated in accordance with the surrounding fire (water spray jet, dry chemical powder, carbon dioxide, alcohol-resistant foam).

5.2 Special hazards arising from the mixture

In case of fire, carbon monoxide, carbon dioxide and nitrogen oxide can be released.

Baumit GmbH

Main office: 2754 Waldegg | Wopfing 156 | Tel. 0501 888-0 | Fax 0501 888 1266 | e-mail: office@baumit.com | baumit.com

Headquarters: Wopfing, Commercial Register Court: Regional Court of Wiener Neustadt, FN: 94709 d, UID: ATU43470409, DVR: 0935361
All packages of all tariff categories delivered to you are to be disposed of through ARA-licence-no. 531 | BHS-licence no. 2439.



Safety data sheet

according to Regulations (EC) 1907/2006 (REACH), 1272/2008 and (EU) 830/2015

Baumit KlimaColor

created on: 05.04.2018

Revision of the edition dated: 08.02.2018

Printed: 02.07.2018

5.3 Information for fire fighting

In case of fire, wear a self-contained breathing apparatus if necessary.

SECTION 6: Accidental release measures

6.1 Personal safety precautions

6.1.1 Non-emergency personnel

Wear protective clothes, as described under section 8. Follow the instructions for safe handling, as described under section 7. Potential danger of slipping on leaked product.

6.1.2 Emergency personnel

Emergency plans are not required. However, respiratory protection is required in case of high dust exposure.

6.2 Environmental protection measures

Do not allow to enter the sewer, surface water or groundwater. Inform the competent authorities in case of contamination.

6.3 Procedures for cleaning

Absorb spilled product with liquid-binding material (such as sand, soil, diatomaceous earth, vermiculite) and dispose of according to the statutory provisions (see section 13).

6.4 Reference to other sections

Please note sections 7, 8 and 13 for further details.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Please follow the recommendations in section 8.

Wash hands before breaks and after work. Do not eat, drink or smoke while working. Avoid contact with skin and eyes. Wear protective clothes and safety goggles. Clean contaminated protective clothes and protective gloves before reuse.

7.2 Conditions for safe storage, including any incompatibilities:

Store in original container. Carefully reseal opened containers. Protect from frost or direct sunlight. Keep out of reach of children.

SECTION 8: Limitation and monitoring of exposure/personal protective equipment

8.1 Control parameters

Threshold values

not applicable

8.2 Exposure limitation and monitoring

8.2.1 Additional information about the design of technical facilities

Ensure good ventilation during processing.

8.2.2 General protective and hygienic measures

Do not eat, drink or smoke while working. Wash hands and, if applicable, shower, use skincare products before breaks and after work. Avoid contact with skin and eyes. Clean contaminated clothes, shoes, watches, etc. before reuse.

Skin protection / body protection



rubber gloves (in accordance with the specifications of the EC-Directive 89/686/EWG).
Breakthrough time 480 min. / Minimum thickness 0.11 mm
Leather gloves are not suitable due to their water permeability.

Wear long-sleeved protective clothes (normal work clothes) and use skincare products during normal processing.
The use of disposable coveralls is recommended during machine processing.

Facial/eye protection:



Wear protective goggles to protect from liquid splashes (provide eye showers).
Use protective goggles with side guard according to EN 166.

Respiratory protection



Not necessary during manual processing. Ensure sufficient ventilation. Use particle filter P2 according to EN 143 during machine processing.

8.2.3 Environmental exposure limitation and monitoring

Air

No special measures are required.

Water

Do not allow the product to enter groundwater or sewage system due to the high alkalinity. Inform the competent authorities in case of release.

Soil

Do not allow the product to enter the soil due to the preservatives contained therein. Inform the competent authorities in case of release.

Safety data sheet

according to Regulations (EC) 1907/2006 (REACH), 1272/2008 and (EU) 830/2015

Baumit KlimaColor



baumit.com

created on: 05.04.2018

Revision of the edition dated: 08.02.2018

Printed: 02.07.2018

SECTION 9: Physical and chemical properties

9.1 General information

Appearance:	pasty
Aggregate state:	liquid
Colour:	white or depending on the colour
Odour	characteristic
Odour threshold	unknown
pH-level:	approx. 11 - 12
Melting point:	not applicable
Boiling point:	not applicable
Flash point:	not applicable

Evaporation rate:	
Flammability	non-flammable
Upper/lower inflammability or explosion limits:	no data available.
Vapour pressure:	no data available.
Vapour density:	no data available.
Relative density	approx. 1.52 kg/dm ³ at room
Water solubility:	completely miscible
Distribution coefficient: n-octanol/water:	not determined
Auto-ignition temperature:	not auto-igniting
Decomposition	no data available.
Viscosity	approx. 35000 mPa*s at room
Explosive properties:	not explosive
Oxidizing properties:	not applicable

9.2 Other particulars

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reactions are known.

10.2 Chemical stability

Stable under normal environmental conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions are known.



Safety data sheet

according to Regulations (EC) 1907/2006 (REACH), 1272/2008 and (EU) 830/2015

Baumit KlimaColor

created on: 05.04.2018

Revision of the edition dated: 08.02.2018

Printed: 02.07.2018

10.4 Conditions to be avoided

Protect from frost and direct sunlight. Do not allow to enter the sewer, surface water or groundwater.

10.5 Intolerable materials

Strong acids and bases and strong oxidizing agents

10.6 Hazardous decomposition products

No formation of hazardous decomposition products in case of proper application and storage.

SECTION 11: Toxicological data

11.1 Information on toxicological effects

Hazard class	Cat.	Effect	Reference
Acute toxicity - dermal	—	Based on the available data, the classification criteria are not met.	—
Acute toxicity inhalation	—	Based on the available data, the classification criteria are not met.	—
Acute toxicity - oral	—	Based on the available data, the classification criteria are not met.	—
Caustic /irritant effect on the skin	—	Based on the available data, the classification criteria are not met.	—
Severe eye damage/irritation	—	Based on the available data, the classification criteria are not met.	—
Skin sensitisation	—	Based on the available data, the classification criteria are not met.	—
Respiratory tract sensitisation	—	Based on the available data, the classification criteria are not met.	—
Germ cell mutagenicity	—	Based on the available data, the classification criteria are not met.	—
Carcinogenicity	—	Based on the available data, the classification criteria are not met.	—
Reproductive toxicity	—	Based on the available data, the classification criteria are not met. No indications based on experiences on human beings	—
specific target organ Toxicity in case of one-time exposure	—	Based on the available data, the classification criteria are not met.	—
specific target organ Toxicity in case of repeated exposure	—	Based on the available data, the classification criteria are not met.	—
Aspiration hazard	—	Based on the available data, the classification criteria are not met.	—

Safety data sheet

according to Regulations (EC) 1907/2006 (REACH), 1272/2008 and (EU) 830/2015

Baumit KlimaColor

created on: 05.04.2018

Revision of the edition dated: 08.02.2018

Printed: 02.07.2018

Additional information

The product as such is not tested. The mixture is classified according to appendix I of Regulation (EC) 1272/2008 (section 2 and section 3).

SECTION 12: Environmental information

12.1 Toxicity

The product was not tested. The information is derived from the properties of the individual components.

12.2 Persistence and decomposability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in the soil

No data available.

12.5 Results of the PBT and vPvB assessment

The mixture does not contain components that are classified as persistent, bioaccumulative and toxic (PBT) or as very persistent, very bioaccumulative (vPvB).

12.6 Other harmful effects

Do not allow to enter the sewer, groundwater or other surface waters.

SECTION 13 Disposal instructions

13.1 Waste treatment process Disposal:

Dispose of partially emptied and non-consumed residual amounts as hazardous waste. Do not dispose of with household rubbish.

Fully cured product residues can be brought to the household and residual waste.

To cure the product, open the container and leave outdoors or in well-ventilated areas.

Do not allow residues to enter the sewer system. Do not empty in the sink or WC.

Send completely emptied packaging properly for disposal.

ÖNORM S2100

55510 Waste based on plastic dispersions

European List of Waste Materials

08 01 12 Ink and lacquer waste with the exception of those that fall under 08 01 11

15 01 02 Packaging made from plastic

created on: 05.04.2018
Revision of the edition dated: 08.02.2018

Printed: 02.07.2018

SECTION 14: Information on transport

14.1 UN-number

Not applicable

14.2 Proper UN shipping name

Not applicable

14.3 Transport hazard classes

Not applicable

14.4 Packaging group

Not applicable

14.5 Environmental hazards

Not applicable

14.6 Special precautions for the user

Not applicable

14.7 Transport in bulk according to appendix II of the MARPOL Convention 73/78 and according to the IBC-Code

Not applicable

SECTION 15: Information on statutory regulations

15.1 Safety, health and environmental protection regulations/specific statutory regulations for the mixture

Water hazard class: WGK (D) 1 (self-classification): slightly hazardous for water.

VOC-content: <30 g/l (Directive 2004/42/EG)

15.2 Chemical safety assessment

A chemical safety assessment was not performed.

SECTION 16: Other particulars

16.1 Changes compared to the previous version

Supplement VOC-content

16.2 Abbreviations and acronyms

ACGIH American Conference of Industrial Hygienists

ADR/RID European Agreements on the transport of Dangerous goods by Road/Railway

Safety data sheet

according to Regulations (EC) 1907/2006 (REACH), 1272/2008 and (EU) 830/2015

Baumit KlimaColor

created on: 05.04.2018

Revision of the edition dated: 08.02.2018

Printed: 02.07.2018

APF CAS	Assigned protection factor (protection factor of respirators)
CLP	Chemical Abstracts Service
EC50	Classification, labelling and packaging (Regulation (EC) No. 1272/2008)
ECHA	Half maximal effective concentration
EINECS	European Chemicals Agency
EPA	European Inventory of Existing Commercial chemical Substances
HEPA	Type of high efficiency air filter
IATA	Type of high efficiency air filter
IMDG	International Air Transport Association
IUPAC	International agreement on the Maritime transport of Dangerous Goods
LC50	International Union of Pure and Applied Chemistry
MEASE	Median lethal dose
PBT	Metals estimation and assessment of substance exposure
PROC	Persistent, bioaccumulative and toxic
REACH	Process category/use category)
SDB	Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) 1907/2006)
STOT	Safety data sheet
TRGS	Specific target organ toxicity
UVCB	Technical Rules for Hazardous Substances Substances of Unknown or Variable composition, Complex reaction products or Biological materials
VCI VOC	Verband der chemischen Industrie e.V.
vPvB	Volatile organic compounds
VwVwS	Very persistent, very bioaccumulative Administrative Regulation on Substances Hazardous to Water

16.3 Literature references and data sources

16.4 Training tips

In addition to training programs for employees on the topics of health, safety and the environment, companies have to ensure that their employees read and understand the safety data sheet and can implement the requirements.

16.5 Disclaimer

The information in this safety data sheet describes the safety requirements of our product and is based on the current level of our information available. It does not represent any guarantee of properties. Existing laws, regulations and rules, also those not mentioned in this data sheet must be complied with by recipients of our products at their own responsibility.

--- End of the safety data sheet ---